



Rediscovering lessons of adaptation from the past

Rowan C. Jackson^{a,b,*}, Andrew J. Dugmore^{a,c,d}, Felix Riede^{b,e,f}^a Geography, School of Geosciences, University of Edinburgh, Drummond Street, Edinburgh, EH8 9XP, Scotland, UK^b Centre for Environmental Humanities, Department of Archaeology and Heritage Studies, School of Culture and Society, Aarhus University, Moesgård Allé 20, 8270 Højbjerg, Denmark^c Human Ecodynamics Research Centre & Doctoral Program in Anthropology, The Graduate Center, City University of New York, 365 Fifth Avenue, New York, NY, 10016-4309, USA^d Department of Anthropology, Washington State University, College Hall 150, PO Box 644910, Pullman, WA, 99164-4910, USA^e Arctic Research Center, Institut for Bioscience, Ny Munkegade 116, 8000, Aarhus, Denmark^f BIOCHANGE Center for Biodiversity Dynamics in a Changing World, Aarhus University, Ny Munkegade 116, 8000, Aarhus C, Denmark

ARTICLE INFO

Keywords:

Archaeology
History
Climate adaptation
Resilience
Vulnerability
Global change research
Deep time
Social contract
Museums

ABSTRACT

We argue that the deep time perspectives offered by historical disciplines, such as archaeology and history, provide important human-scale data about climate-adaptation over long timescales, and that these insights are currently lacking in global change research and Intergovernmental Panel on Climate Change reports. Pre-modern societies are not comparable with contemporary societies, but the completed experiments they represent can offer evidence of the consequences of climate change, the challenges of uncertainty and socio-cultural limits to adaptation. The limited visibility of data on long-term human interactions with climate change in global change research could be overcome through a ‘new social contract’, a two-way movement between global change and historical disciplines to, 1) make use of, and apply, historical data to contemporary climate-related challenges, 2) design robust interdisciplinary, and transdisciplinary research, 3) publish synthesised research in high-impact climate-adaptation journals, and 4) communicate research to the public in cultural history museums.

1. Introduction

Anthropogenic climate change is having profound impacts on social and cultural practices, requiring novel approaches to understand the interaction between culture and climate (Hulme, 2009, 2016). In the last decade, numerous authors have highlighted the need for a critical integration of the social sciences and humanities into Global Change Research (GCR) and associated institutional bodies, such as the Intergovernmental Panel on Climate Change (IPCC; see Hulme, 2011; Castree et al., 2014). Archaeology and history, however, have received little attention in mainstream the climate-adaptation literature and institutional reports despite significant research at the interface between human and natural systems (Riede, 2014a; Hudson et al., 2012; Hambrecht and Rockman, 2017). In this paper, we address this lack by proposing a new social contract; a two-way movement by GCR and historical disciplines to make use of and apply historical data to contemporary climate-related challenges.

2. Global change research

GCR examines the impacts of human activities on bio-geo-physical

processes (IPCC, 2014). Integrated monitoring efforts have recorded significant changes to these processes, and the crossing of environmental thresholds that define safe operating spaces for humanity (Rockström et al., 2009). While substantial progress has been made towards understanding physical changes to Earth system processes since Assessment Report (AR) 1 (1990) of the IPCC, until IPCC AR4 the social sciences and humanities had limited influence over the consideration of human dimensions within GCR (Corbera et al., 2016). It is now recognised that successful responses to climate change need to overcome socio-cultural limits and barriers (Moser and Ekstrom, 2010; Barnett et al., 2015). This highlights crucial issues that include how to adjust social practices to avoid dangerous climate change and to understand cultural capacities to adapt to change (Adger et al., 2013a).

The limited visibility of archaeology and history in GCR is perhaps unsurprising because recognisable changes to climate, driven by human activities, are a modern phenomenon and societies of the past differ from those of the present in terms of world views, technology, demography and governance structures. Hence, climate change adaptation might be considered solely a challenge for modern societies and thus modern science. Indeed, global production, economic systems, demographic and population trends, and—critically—modes of knowledge

* Corresponding author at: Department of Geography School, School of Geoscience, University of Edinburgh, Drummond Street, Edinburgh, EH8 9XP, Scotland, UK.
E-mail address: rowan.jackson@ed.ac.uk (R.C. Jackson).

have changed dramatically since the Enlightenment (Withers, 2005) and industrial revolutions (Urry, 2014). This development has been so profound that, in the case of Western societies, Hannah Arendt (1998) has characterised a new *human condition* capable of ever-greater destruction. Linked to this, the ‘Anthropocene’ concept has sought to define humanity’s transformed relationship with the Earth system (Crutzen, 2006). The industrial revolution’s influence on global atmospheric composition (c. 1750–1800 AD), socio-economic trends of the post-1950 ‘great acceleration’ (Steffen et al., 2015) and the creation of an artificial global radionuclide marker horizon from atomic detonations (Zalasiewicz et al., 2008) are used as evidence for a post-industrial global environmental threshold. But defining this threshold potentially shifts attention from antecedent processes of cultural-ecological change (Erlandson and Braje, 2013) and past human resource-use and decision-making in response to climate stimuli. As argued by Hartman et al. (2017), the notion of the new human condition is in need of updating in light of past human-environment interactions, and how these impinge on the present and future of human planetary stewardship.

Anthropologists Smith and Zeder (2013) have challenged the post-industrial designation of Anthropocene, arguing “focus should be on cause rather than [a measurable] effect” (p.11), such as a ‘golden spike’. The cause in question is, for Smith and Zeder (2013), the ‘agricultural revolution’ of ~11,000–9000 yr BP. This period marked a significant transition in human impacts, from those of hunter-gatherers to the domesticators of plants and animals (Zeder, 2015). The social and ecological consequences of agriculture are significant, and their imprint is discernible today. The adoption of agriculture increased and expanded human population and human-favoured taxa across the globe—primarily the newly domesticated plant and animal species common to modern diets (Boivin et al., 2016). Major environmental impacts from Holocene agricultural expansion, such as the transformation of central Eurasian forests and grasslands through grazing, are responsible for engineering the familiar cultural landscapes of today (Miehe et al., 2009).

The spread of agriculture is significant to modern GCR because it fundamentally altered human adaptive responses to climate variability. Whereas hunter-gatherer societies used mobility to respond to climate-induced shifts in wild resource distribution, agriculturalists use past experience to inform local economic decisions (Kennett and Marwan, 2015). Decisions about cropping, harvesting, grazing, irrigation, grain storage, trade and political-economic integration require the navigation of economic constraints and memory of climatic variability and are as important today as long ago. Likewise, managing private and local common-pool resources is as much a socio-environmental and economic challenge of the present as it was in the past (Ostrom et al., 1994, 2007).

Climate change, political and economic stability, food security and human migration have been major concerns to past as well as contemporary societies, but examples of how these problems become interrelated, and ‘wicked’, are missing from future scenario planning (Palmer and Smith, 2014). History can tell us how vulnerable societies functioned before and after disaster events (Riede, 2014b), what impact cultural limits played in long-term adaptation to climate variability (Dugmore et al., 2012; Spielmann et al., 2016), and how multiple exposures undermined societal resilience (Dugmore et al., 2013).

3. The use of the past in the present

In the 21st century, archaeology and history have increased their efforts to apply long-term data to contemporary social and environmental challenges—including climate-adaptation and sustainability (Redman, 2005; Costanza et al., 2007). New and expanded archaeological methods, such as those using stable isotopes, statistical models and microfossil analysis, have enhanced reconstructions of human-environment interaction, human dietary response to changing resource abundance, human migration and settlement abandonment (Boivin

et al., 2016; d’Alpoim Guedes et al., 2016); historians have shown how culture shapes changing ideas of climate (Adamson et al., 2018; Hulme, 2008).

Developing more effective interdisciplinary collaborations can provide holistic information on climate-adaptation using extended time-scales to explain how vulnerabilities develop across different spatial and socio-cultural contexts—to reconstruct a global perspective on climate impacts and adaptation in the past. Box 1 provides six well-known examples of environmental and social change. North Atlantic researchers from the geosciences, historical ecology, environmental humanities and social sciences have outlined the benefits of long-term integrative approaches using the comparative cases of Medieval Greenland and Iceland (Box 2). In the following subsections we explore two further cases of societal transformation (Classic Maya and the pre-Hispanic US Southwest) to illustrate the potential of historical records and their completed experiments to inform contemporary and future climate-adaptation scenario planning.

3.1. Classic Maya: climate variability, uncertainty and conflict

The decline of Classic Maya (~750–1050 CE) is among the most widely discussed cases of societal “collapse” (Middleton, 2017). Recent comparative climate and archaeological research supports the hypothesis that prolonged, multiyear drought triggered regional political disintegration during the Terminal Classic (9th–10th centuries CE) (Kennett et al., 2012; Hoggarth et al., 2016). In wealthy Maya polities, conflict and tribute-based status encouraged population agglomeration. This escalated environmental stress, increasing the chance of local-scale soil erosion and reduced crop yields (Turner and Sabloff, 2012). In the elevated interior of the Yucatan, an extensive dry season made settlements dependent on household and urban reservoirs to store water (Dunning et al., 2012). Multiyear drought increased resource stress, triggering conflict for political and economic gain over neighbouring polities (Kennett and Beach, 2013). This resulted in increased political disintegration and population decline as resource stress and conflict reinforced one another in a ‘risk spiral’ (Hoggarth et al., 2016, 2017; Dunning et al., 2012).


3.2. US Southwest: climate variability and infrastructure rigidity

Research focused on the pre-Hispanic ancestral Puebloan communities of the US Southwest has examined decision-making and actions that contributed to both vulnerability and adaptive capacity (Nelson et al., 2016). Using archaeological records and climate reconstructions, multidisciplinary approaches have compared long-term records of social-ecological stability and change across the US Southwest (Kohler et al., 2012). In the Mesa Verde region, there is a strong correlation between maize-niche size and ancestral Puebloan populations. From 1200 CE, declining maize productivity contributed to food shortages followed by violence and regional social collapse (Schwindt et al., 2016). In the Phoenix basin, Hohokam, communities successfully managed interannual water scarcity using large-scale canal networks. The irrigation capacity they generated for agricultural productivity supported the creation of a regional-scale economy, but over-dependence on a predictable water supply formed *rigidity traps*. Extreme climatic events in the 14th century, including floods that disrupted channel-head connections to the river, devastated irrigation infrastructures that supported agriculture (Nelson et al., 2012). At a broader scale, regional networks became balkanized by social-ecological change, triggering depopulation and the collapse of trade networks. A comparative study by Hegmon et al. (2008) found more rigidly organised settlements—including those of Mesa Verde and the Phoenix Basin—to be more prone to severe transformation than less integrated and less hierarchical societies such as Mimbres (and Zuni; see Spielmann et al., 2016).

These case studies illustrate how unanticipated and unprecedented

Box 1

An example of a global perspective on climate change adaptation in the past. Here we offer just a few examples, but archaeological and historical data has the potential for long-term global coverage. Base map: World Physical Map [US National Parks Service] created using ArcGIS® software by Esri.



low-frequency, multiyear drought undermined powerful institutions that managed predictable, high-frequency variability with substantial infrastructure investment (Kennett and Marwan, 2015; Nelson et al., 2012). Systems that attempt to manage social-ecological variation are more likely to become rigid and homogenous (Scheffer et al., 2012; Carpenter et al., 2015). Flexibility and redundancy is integral to social-ecological resilience; helping societies withstand low frequency, high-magnitude events (Carpenter and Brock, 2008). In both Central America and the southwestern USA, medieval climate variability exacerbated food shortage, leading to conflict and the decentralization of power. In the contemporary world, changing patterns of resource access driven by climate have caused human displacement and violent conflict (Barnett and Adger, 2010; Eriksen and Lind, 2009), but there remain major gaps in climate-conflict research—and a timely opportunity for collaboration between GCR and historical disciplines (Solow, 2013; Adger et al., 2013b; Hsiang et al., 2013; Ide, 2015).

3.3. Scenario planning: historical data and QSS

Within archaeology and history, an increasing number of publications consider the use of historical data for scenario-based planning and risk reduction (Riede, 2014b, 2017a, 2017b; Kennett and Marwan, 2015; Rohland, 2017; Adamson et al., 2018). Many suggest that coupled climate models are required to understand human-environment interaction (Riede, 2014a; Palmer and Smith, 2014), but few focus on direct channels of engagement in existing GCR frameworks (Beckage et al., 2018). Qualitative Scenario Storylines (QSS) are used by global change researchers in IPCC reports, to add information about the potential social effects of modelled climate impacts (Rounsevell and Metzger, 2010). The addition of history's long-term perspective would provide valuable extra information on potential outcomes of multiple, complex changes for human populations.

QSS are used to explore uncertainties about the impacts of climate model projections on societal resilience (Rounsevell and Metzger, 2010). The scenario method offers plausible impact narratives in the *storyline* and *simulation* approach (Metzger et al., 2010). In IPCC AR5, a range of temperature and precipitation scenarios are modelled using the Special Report on Emissions Scenarios (SRES) and Representative Concentration Pathway (RCP) frameworks. Model outputs are used to indicate potential social-ecological impacts, such as those from heat-waves, droughts, flooding and land-use change (Kovats et al., 2014). The potential outcomes of model projects are then explored using the QSS method (Rounsevell and Metzger, 2010). For example, temperature and precipitation scenarios have been used to inform potential impacts on the European wine industry (Metzger and Rounsevell, 2011), flood risk (Rojas et al., 2013) and transport and infrastructure hazards (Palin et al., 2013). Qualitative scenarios are not predictions, but potential outcomes of climate change, based on hitherto observed phenomena (Bryson et al., 2010). Historical data cannot be incorporated in the same way but could have great relevance as 'possibilistic' scenarios (Clarke, 2007; Riede, 2014b).

As some archaeologists have argued, without sufficient time-depth, contemporary scenarios can be constrained by the lack of diachronicity (Redman, 2005). A combination of hazard frequency and how they are remembered—in collective memory and cultural knowledge (Riede, 2017a)—is likely to influence society's preparedness and capacity to absorb and adjust to impacts (Wisner et al., 2004). Icelanders, for example, are alert to the effects of volcanic eruptions on aviation, settlements, and economic activities (Donovan and Oppenheimer, 2011). As a result of both long experience and effective memory (Dugmore and Vésteinsson, 2012), Icelandic society has developed suitable crisis management protocols. In contrast, continental Europe was ill-prepared for the synergistic effects of the 2010 eruption of Eyjafjallajökull, persistent winds towards Europe and limited crisis management

Box 2**Integrated Historical Research in the North Atlantic Context.**

Integrated historical research in the North Atlantic can help us address research questions about long-term climate impacts, cultural limits to adaptation and exposures to multiple climate-related environmental and socio-political challenges. Treating these examples as ‘completed experiments’ of the past offers empirical evidence of extended exposure to social and environmental stressors. Examples such as this could offer scenarios of political, economic and environmental uncertainty that are equally possible in integrated market economies.

Norse societies in Greenland and Iceland, both settled in the Viking Age (793–1066), had a shared cultural and biological heritage (Jesch, 2015). Icelandic society has survived environmental, economic and demographic transformations to become a highly developed 21st century economy (Karlsson, 2000). Norse Greenland, by contrast, came to an end in the mid-15th century (Arneborg, 2003). Evidence of the impacts of climate on subsistence/resource management have become increasingly resolved through modern archaeological investigations and climate reconstructions (Hartman et al., 2017). Zooarchaeological studies and stable isotope analyses provide evidence of a changing diet at the settlement scale—evidence of adaptation to food scarcity (Smiarowski et al., 2017; Arneborg et al., 2012). Multi-disciplinary studies have combined human-scale data from Greenland with regional-scale environmental and political-economic data. This suggests that the Norse became increasingly dependent on a narrow marine-focused diet, which increased vulnerability to food shortage in the mid-15th century (Nelson et al., 2016). Historical evidence indicates that this coincided with Greenland’s isolation from the Norwegian crown, an essential trade partner, as walrus ivory become devalued on European markets (Frei et al., 2015). The combination of declining food security with economic isolation to support subsistence failure left the Norse with few options in the 15th century. Modern societies could learn from such scenarios playing out in contemporary political economies. Declining trade, energy security and political instability at national and regional scales, in tandem with the social and physical impacts of climate change, could present major adaptive challenges for policy and governance.

In the last 10 years, researchers from the North Atlantic Biocultural Organisation (NABO) have increased engagement with global change researchers; examining historical data through concepts of ‘human security’ (Dugmore et al., 2013; O’Brien et al., 2013), social and cultural limits to adaptation (Dugmore et al., 2009; Adger et al., 2009), and multiple exposures (Dugmore et al., 2012; Lichenko and O’Brien, 2008). North Atlantic researchers have applied GCR concepts to studies of the past to better understand complex human-environment interaction and, in turn, to extend the scope of human climate-adaptation using deep-time perspectives. Contemporary studies, for example, warn that exposure to multiple stressors are likely to produce winners and losers as societies experience global environmental change (O’Brien and Lichenko, 2000). In Medieval Greenland, the climate-economy conjuncture undermined the capacity of Norse settlers to adapt subsistence and resort to imports for food provisions (Dugmore et al., 2012). This lesson from the Greenland case is that although the Norse adjusted to climate change, cultural practices limited the level of adaptive flexibility in response to climate volatility and economic change.

North Atlantic researchers have more recently outlined channels for integration with global change research programmes (Hartman et al., 2017; Holm and Brennan, 2018). Integrating research from a number of disciplines and spatial-temporal scales has provided opportunities for long-term analysis across local and regional scales (Hambrecht and Rockman, 2017). Long-term historical-archaeological records and historical literatures have been combined with natural and earth science data to understand how humans understood environmental change and influenced terrestrial and marine environments (Kwok, 2017).

(Alexander, 2013). This illustrates a key limitation of short-term data-sets—they are unlikely to include synergistic or conjunctive impacts of low-frequency, high-magnitude events (Dugmore and Vésteinnsson, 2012; Riede, 2017b). Completed experiments of the past can, however, provide effective knowledge of far-reaching impacts on vulnerable social groups, critical infrastructure and resources systems.

Historical data could be incorporated into QSS as examples of long-term human response to climate impacts. For example, food shortages

in the Medieval Norse settlements of the North Atlantic and the pre-Hispanic US Southwest resulted as a consequence of socio-political and demographic instability and limited access to dependable resources (Nelson et al., 2016). In these long-term cases, high adaptive capacity is not equal to low vulnerability. The Greenland Norse, for example, adjusted to declining home-field yields by utilising abundant marine and terrestrial wild resources (Dugmore et al., 2012). Rare periods of climate variation and cooling, however, created unanticipated barriers to

domestic and wild resources. Unanticipated hazards, such as these, can also be reinforced by the conjuncture of social, economic and political uncertainty (see Box 2). Long-term records could hereby provide qualitative information for considering potential vulnerabilities arising from the interaction of human and biophysical processes.

4. A new social contract for archaeology and history

There are concerns that GCR requires better communication of ‘matters of fact’ to reach politically uncomfortable conclusions and cultivate ‘solution-oriented’ research regarding ‘matters of concern’ (O’Brien, 2012; Stewart and Lewis, 2017). Designing research that attends to societal concerns and engages with policy-makers demands changes to practices of GCR (Castree, 2016). These arguments are not new, and stem from earlier calls for a ‘social contract in science’ that engages with public concerns (Lubchenco, 1998). Disciplinary social contracts have encouraged open-access communication of research (Björk et al., 2010), interdisciplinary collaboration to embolden holistic thinking (Barnes et al., 2013), and problem-based knowledge transfer to policy-makers (Turner et al., 2016).

In environmental archaeology and history, similar questions have been raised, about what historical disciplines can offer and what obligation there is to “engage with debates... at [the] interface between politics, public affairs and science.” (Riede et al., 2016a: 1; Armstrong et al., 2017). The (sub)sections that follow form the basis for a ‘new social contract’; a two-way movement in GCR and historical disciplines to (i) make use of and apply historical data to contemporary climate-related challenges, and (ii) for archaeology and history to increased engagement with GCR and climate-adaptation research.

4.1. Research design and collaboration

A key challenge for global change researchers is to use climate

change as an opportunity to engage in new collaborations with archaeologists and historians, and vice versa. Many disciplines, including history and archaeology, already engage in interdisciplinary research with the natural sciences—to understand human interactions with changing environments—and with the humanities—to examine environmental knowledge through art, literature and historical texts (Hartman et al., 2017; Holm and Brennan, 2018). Existing research frameworks of historical ecology and environmental humanities, have forged integrated projects that combine past climate, environment and human datasets—for example, IHOPE (Integrated History and Future of People on Earth, <http://ihopenet.org>) and PAGES (Past Global Changes, <http://www.pastglobalchanges.org>). Organisations such as these aim to build understanding of the past to inform future projections and strategies for sustainability (Costanza et al., 2012), but more could be done to design projects that integrate historical disciplines and GCR.

Field-based research, for example, offers opportunities for engagement across disciplines (e.g. Normand et al., 2017) and with local and indigenous groups (Barnes et al., 2013). Protecting heritage sites from the impacts of climate change—such as rain, frost damage or sea-level rise—is both a cultural and academic concern, and also offers an opportunity to engage and educate the public using tangible evidence of climate impacts on their heritage (Dawson et al., 2017). Likewise, anthropologists (including archaeologists) and geographers can learn from traditional knowledges of climate-adaptation in indigenous communities, such as Inuit communities in the circumpolar north, by engaging in reciprocal information exchange (Ford et al., 2015; Krupnik, 2002).

4.2. Historical social perspectives in GCR journals

While many archaeologists and historians have turned their attention to contemporary climate challenges, their studies still lack visibility in climate-adaptation journals and thus connections with global

Table 1

Journal citation frequency analysis of IPCC Assessment Report 5, Working Group 2, Global and Sectoral Aspects and journal publication frequency in Scopus research results [TITLE-ABS-KEY(“*adapt*” AND “climate change”).]. Using a comparative methodology for selecting high-impact climate change adaptation literatures applied by Bassett and Fogelman (2013) and Lorenz et al. (2014), journal citation and publication results were ranked and an average rank across both fields was used as a measure of impact. Journals in dark grey have sufficient aims and scope and publication history to include historical perspectives.

IPCC AR5 WG2 Part A – Global and Sectoral Aspects			Scopus Search			Journal	Overall Rank
Rank	Journal Name	Citation Frequency	Rank	Journal Name	Publications: *adapt* & ‘Climate Change’		
1	<i>Climatic Change</i>	481	1	<i>Climatic Change</i>	648	<i>Climatic Change</i>	1
2	<i>Global Environmental Change</i>	426	2	<i>PLoS ONE</i>	378	<i>Global Environmental Change</i>	2
3	<i>PNAS</i>	267	3	<i>Global Environmental Change</i>	326	<i>PLoS ONE</i>	3
4	<i>Global Change Biology</i>	260	4	<i>Regional Environmental Change</i>	289	<i>Global Change Biology</i>	3
5	<i>Nature Climate Change</i>	175	5	<i>Global Change Biology</i>	288	<i>PNAS</i>	5
6	<i>Mitigation & Adaptation Strategies for Global Change</i>	116	6	<i>Mitigation & Adaptation Strategies for Global Change</i>	286	<i>Mitigation & Adaptation Strategies for Global Change</i>	5
7	<i>PLoS ONE</i>	83	7	<i>Environmental Science & Policy</i>	211	<i>Regional Environmental Change</i>	7
8	<i>Environmental Science & Policy</i>	80	8	<i>Climate & Development</i>	182	<i>Environmental Science & Policy</i>	8
9	<i>Ecological Economics</i>	75	9	<i>PNAS</i>	167	<i>Climate & Development</i>	9
10	<i>Regional Environmental Change</i>	70	10	<i>Climate Research</i>	165	<i>Nature Climate Change</i>	10
11	<i>Climate Research</i>	66	11	<i>Forest Ecology & Management</i>	158	<i>Climate Research</i>	10
12	<i>Natural Hazards</i>	58	12	<i>Ecology and Society</i>	152	<i>Climate Policy</i>	12
12	<i>Climate Policy</i>	58	13	<i>Shengta Xuebao Acta Ecologica Sinica</i>	131	<i>Ecology and Society</i>	13
12	<i>Climate & Development</i>	58	14	<i>Climate Policy</i>	124	<i>Natural Hazards</i>	14
15	<i>Ecology and Society</i>	54	15	<i>Environmental Research Letters</i>	121	<i>Wiley Interdisciplinary Reviews: Climate Change</i>	15

change researchers. In AR5, for instance, ‘historical perspectives’ are limited to a single-page box with a broad overview of climate-induced stress in past societies (IPCC, 2014: 920). Historical perspectives of human interactions with environmental change are framed around the ‘collapse’ thesis and research papers cited in this section are mostly collected from Butzer and Enfield’s (2012) special feature in *PNAS* about historical transformation in pre-modern societies. Several historical case studies are cited, but restrictions on space limit a full appraisal of what historical perspectives offer to climate-adaptation research.

Following the lead of Butzer and Enfield (2012), we consider it necessary for historians, archaeologists and anthropologists to publish in high-impact GCR journals cited in the IPCC reports. A challenge in this type of publication is to ensure that papers are framed and written in a suitable way to synthesise historical and natural scientific data into concise research articles that highlight the relevance of long-term perspectives and the lessons learned from past societies (Altschul et al., 2017). This provides some exciting opportunities for new collaborative research between GCR and historical disciplines. Table 1 shows a rank of journals publishing climate-adaptation research. Journals highlighted in dark grey have aims and scope suitable for historical perspectives relevant to global change, and so present a suitable opportunity to enhance these perspectives in GCR and IPCC Assessment Reports.

4.3. GCR and public engagement – museums

In the last 30 years, museums have shifted focus from collection to educational and public engagement (Black, 2005), but focus on contemporary environmental issues remains rare (Payne, 2015). As scientific evidence alone is insufficient to overcome public inaction, public communication and inspiring action requires evidence presented as practical and relatable ‘matters of concern’ (Marshall, 2014; Stewart and Lewis, 2017). Museums are trusted educational spaces with large public attendance figures (Cameron et al., 2013). The British Museum (6.42 M, <http://www.alva.org.uk>), Smithsonian Museum of Natural History (7.1 M, <https://newsdesk.si.edu/about/stats>) and National Museum of China (7.55 M, TEA, 2017) each engaged in excess of 6 million visitors in 2016. But museums continue to play a limited role at engaging the public with the human impacts of climate change (Rees, 2017; Cameron et al., 2013). Cultural history museums have the potential to exhibit meaningful information (matters of fact and concern) to the public because they communicate tangible stories—using material evidence—of human history (Hebda, 2007).

Cultural history museums could seize a much-needed opportunity to use their potential as spaces for critical thinking about current societal concerns (Cameron and Deslandes, 2011; Sandell, 2011), rather than following linear narratives—such as the rise and fall of civilizations. Material artefacts together with historical research have been used to construct accessible climate narratives, offering ‘windows into the past’ (Hebda, 2007: 329). The ‘Mild Apocalypse’ exhibition at Moesgaard Museum (Denmark), for example, invited visitors to explore artefacts dating from the 1950s ‘golden spike’, as an entry point into the Anthropocene debate (Riede et al., 2016b, <http://anthropocene.au.dk/exhibitions/mild-apocalypse-2016/>). Exhibitions at Moesgaard Museum use multi-media displays to examine material artefacts. This is also an essential tool for communicating climate-impacts and adaptation. The *Preserving Maya Heritage* project between the British Museum and Google Arts and Culture, used virtual reality to engage the public with archives and ‘what the Maya story tells us about global warming and urbanisation’ (<https://artsandculture.google.com/theme/Hgyl1yrF4KwFJg>). Narratives and storylines that trace human interaction with climate, and its punctuated history, have been widely discussed (Nikoleris et al., 2017), but have seen little explicit application in museums (Cameron et al., 2013). This presents a major opportunity to communicate matters of concern through themed exhibitions

showing diachronic evidence of socio-cultural and environmental change imprinted on materials, texts and other records.

5. Conclusion

To date, historical perspectives have limited influence in GCR, and this seems to relate in part to the disjunction between pre-industrial and modern societies, and the limited visibility of historical data to global change researchers. Historical data has the potential to offer lessons and practical examples for scenario planning, but to offer this critical perspective research must be more visible to key audiences: global change researchers, policy-makers and the public. To promote this, we suggest a social contract is necessary, a two-way movement in GCR and historical disciplines to make use of and apply historical data to contemporary climate-related challenges, in order (1) for new collaborations between the humanities, social sciences, natural sciences to engage archaeologists and historians and to connect with the public, (2) to gain visibility for historical perspectives by targeting high-impact climate-adaptation journals, cited in the IPCC reports and across GCR, and (3) to communicate GCR through museums of cultural history to offer the public critical and tangible evidence of climate-adaptation and human modification of environments over human history.

Author contribution

All the authors of this work have contributed to writing, tables, figures and analysis involved in this paper.

Acknowledgements

We acknowledge the support of the ExEDE Doctoral Training Programme between the University of Edinburgh and Aarhus University (RJ), financial support provided by the National Science Foundation of America, (through grant 1202692 ‘Comparative Island Ecodynamics in the North Atlantic’) (AJD). FR is generously supported by Aarhus University, especially the Faculty of Arts, and by the Danish Council for Independent Research grant 6107-00059B. We are grateful for comments on earlier drafts by Charles Withers, Timothy Kohler, Keith Kintigh and Jago Cooper and for the guidance of the two anonymous reviewers and editors at Global Environmental Change.

References

- Adamson, C.D., Hannaford, M.J., Rohland, E.J., 2018. Re-Thinking the present: the role of historical focus in adaptation research. *Global Environ. Change* 48, 195–205.
- Adapting to climate change. In: Adger, N., Lorenzoni, I., O’Brien, K.L. (Eds.), *Thresholds, Values, Governance*. Cambridge University Press, Cambridge.
- Adger, N., Barnett, J., Brown, K., Marshall, N., O’Brien, K., 2013a. Cultural dimensions of climate change impacts and adaptation. *Nat. Clim. Change* 3 (2), 112–117.
- Adger, N., Barnett, J., Dabelko, G., 2013b. Climate and war: a call for more research. *Nature* 498, 171.
- Alexander, D.E., 2013. Volcanic ash in the atmosphere and risks for civil aviation: a study in European crisis management. *Int. J. Disaster Risk Sci.* 4 (1), 9–19.
- Altschul, J.H., Kintigh, K.W., Klein, T.H., Doelle, W.H., Hays-Gilpin, K.A., Herr, S.A., Kohler, T.A., Mills, B.J., Montgomery, L.M., Nelson, M.C., Ortman, S.G., Parker, J.N., Peeples, M.A., Sabloff, J.A., 2017. Fostering synthetic research in archaeology. *Proc. Natl. Acad. Sci.* 114 (42), 10999–11002.
- Arendt, H., 1998. *The Human Condition*, 2nd edn. University of Chicago Press, Chicago.
- Armstrong, C.G., Shoemaker, A.C., McKechnie, I., Ekblom, A., Szabó, P., Lane, P.J., McAlvay, A.C., Boles, O.J., Walshaw, S., Petek, N., Gibbons, K.S., Morales, E.Q., Anderson, E.N., Ibragimow, A., Podruczny, G., Vamasi, J.C., Marks-Block, T., LeCompte, J.K., Awasis, S., Nabess, C., Sinclair, P., Crumley, C.L., 2017. Anthropological contributions to historical ecology: questions, infinite prospects. *PLoS One* 12 (2), 1–26. <http://dx.doi.org/10.1371/journal.pone.0171883>.
- Arneborg, J., Lynnerup, N., Heinmeier, J., Möhl, J., Rud, N., Sveinbjörnsdóttir, Á.E., 2012. Norse Greenland Dietary Economy ca. 980–ca. AD 1450: Introduction. *J. North Atl.* 3, 1–39.
- Arneborg, J., 2003. Norse Greenland: Reflections on Settlement and Depopulation. In: Barrett, J. (Ed.), *Contact, Continuity, and Collapse. The Norse Colonization of the North Atlantic*. Brepols, Turnhout.
- Barnes, J., Dove, M., Lahsen, M., Mathews, A., McElwee, P., McIntosh, R., Moore, F., O’Reilly, J., Orlove, B., Puri, R., Weiss, H., Yager, K., 2013. Contribution of

- anthropology to the study of climate change. *Nat. Clim. Change* 3, 541–544.
- Barnett, J., Adger, W.N., 2010. Environmental change, human security and violent conflict. In: Matthew, R.A., Barnett, J., McDonald, B., O'Brien, K. (Eds.), *Global Environmental Change and Human Security: Understanding Environmental Threats to Wellbeing and Livelihoods*. MIT Press, Cambridge, pp. 119–136.
- Barnett, J., Evans, L.S., Gross, C., Kiem, A.S., Kingsford, R.T., Palutikof, J.P., Pickering, C.M., Smithers, S.G., 2015. From barriers to limits to climate change adaptation: path dependency and the speed of change. *Ecol. Soc.* 20 (3), 5.
- Bassett, T.J., Fogelman, C.F., 2013. Déjà vu or something new? The adaptation concept in the climate change literature. *Geoforum* 48, 42–53.
- Beckage, B., Gross, L.J., Lacasse, K., Carr, E., Metcalf, S.S., Winter, J.M., Howe, P.D., Fefferman, N., Franck, T., Zia, A., Kinzig, A., Hoffman, F.M., 2018. Linking models of human behaviour and climate alters projected climate change. *Nat. Clim. Change* 8 (1), 79–84.
- Björk, B.-C., Welling, P., Laakso, M., Majlender, P., Hedlund, T., Gudnason, G., 2010. Open access to the scientific journal literature: situation 2009. *PLoS One* 5 (6). <http://dx.doi.org/10.1371/journal.pone.0011273>.
- Black, G., 2005. *The engaging Museum. Developing Museums for Visitor Involvement*. Routledge, Abingdon.
- Boivin, N.L., Zeder, M.A., Fuller, D.Q., Crowther, A., Larson, G., Erlandson, J.M., Denham, T., Petraglia, M.D., 2016. Ecological consequences of human niche construction: examining long-term anthropogenic shaping of global species distributions. *Proc. Natl. Acad. Sci. U. S. A.* 113 (23), 6388–6396.
- Bryson, J., Piper, J., Rounsevell, M., 2010. Envisioning futures for climate change policy development: scenario use in European policy institutions. *Environ. Pol. Gover.* 20 (5), 283–294.
- Butzer, K.W., Enfield, G.H., 2012. Critical perspectives on historical collapse. *Proc. Natl. Acad. Sci.* 109 (10), 3628–3631.
- Cameron, F., Deslandes, A., 2011. Museums and science centres as sites for deliberate democracy on climate change. *Mus. Soc.* 9 (2), 136–153.
- Cameron, F., Hodge, B., Salazar, J.F., 2013. Representing climate change in museum space and places. *Wiley Interdiscip. Rev. Clim. Change* 4 (1), 9–21.
- Carpenter, S.R., Brock, W.A., 2008. Adaptive capacity and traps. *Ecol. Soc.* 13 (2), 40.
- Carpenter, S.R., Brock, W.A., Folke, C., van Nes, E.H., Scheffer, M., 2015. Allowing variance may enlarge the safe operating space for exploited ecosystems. *Proc. Natl. Acad. Sci.* 112 (46), 14384–14389.
- Castree, N., 2016. Geography and the new social contract for global change research. *Trans. Inst. Br. Geogr.* 41 (3), 328–347.
- Castree, N., Adams, W.M., Barry, J., Brockington, D., Büscher, B., Corbera, E., Demeritt, D., Duffy, R., Felt, U., Neves, K., Newell, P., Pellizzoni, L., Rigby, K., Robbins, P., Robin, L., Rose, D.B., Ross, A., Schlosberg, D., Sörlin, S., West, P., Whitehead, M., Wynne, B., 2014. Changing the intellectual climate. *Nat. Clim. Change* 4, 763–768.
- Clarke, L., 2007. Thinking possibilistically in a probabilistic world. *Significance* 4 (4), 190–192.
- Corbera, E., Calvet-Mir, L., Hughes, H., Paterson, M., 2016. Patterns of authorship in the IPCC working group III report. *Nat. Clim. Change* 6, 94–99.
- Costanza, R., Graumlich, L., Steffen, W., Crumley, C., Dearing, J., Hibbard, K., Leemans, R., Redman, C., Schimel, D., 2007. Sustainability or collapse: what can we learn from integrating the history of humans and the rest of nature? *AMBIO J. Hum. Environ.* 36 (7), 522–527.
- Costanza, R., van der Leeuw, S., Hibbard, K., Aulenbach, S., Brewer, S., Burek, M., Cornell, S., Crumley, C., Dearing, J., Folke, C., Graumlich, L., Hegmon, M., Heckbert, S., Jackson, S.T., Kubiszewski, I., Scarborough, V., Sinclair, P., Sörlin, S., Steffen, W., 2012. Developing an integrated history and future of the people on earth (IHOFPE). *Curr. Opin. Environ. Sustain.* 4, 106–114.
- Crutzen, P.J., 2006. The “Anthropocene”. In: Ehlers, E., Krafft, T. (Eds.), *Earth System Science in the Anthropocene*. Springer, Berlin.
- d'Alpoim Guedes, J., Crabtree, S.A., Bocinsky, R.K., Kohler, T.A., 2016. Twenty-first century approaches to ancient problems: climate and society. *Proc. Natl. Acad. Sci. U. S. A.* 113 (51), 14483–14491.
- Dawson, T., Hambly, J., Graham, E., 2017. A central role for communities: climate change and coastal heritage management in Scotland. In: Dawson, T., Nimura, C., Lopez-Romero, E., Daire, M.-Y. (Eds.), *Public Archaeology and Climate Change*. Oxbow Books, Oxford, pp. 50–68.
- Donovan, A., Oppenheimer, C., 2011. The 2010 eyjafjallajökull eruption and the reconstruction of geography. *Geogr. J.* 177 (1), 4–11.
- Dugmore, A.J., Vésteinsson, O., 2012. Black sun, High flame, and Flood: volcanic hazards in Iceland. In: Cooper, J., Sheets, P. (Eds.), *Surviving Sudden Environmental Change: Answers from Archaeology*. University of Colorado Press, Boulder.
- Dugmore, A.J., McGovern, T.H., Vésteinsson, O., Arneborg, J., Streeter, R., Keller, C., 2012. Cultural adaptation, compounding vulnerabilities and conjunctures in Norse Greenland. *Proc. Natl. Acad. Sci.* 109 (10), 3658–3663.
- Dugmore, A.J., McGovern, T.H., Streeter, R., Madsen, C.K., Smiarowski, K., Keller, C., 2013. Clumsy solutions' and 'Elegant failures': lessons on climate change adaptation from the Settlement of the North Atlantic. In: Sygna, L., O'Brien, K., Wolf, J. (Eds.), *A Changing Environment for Human Security: Transformative Approaches to Research, Policy and Action*. Routledge, London.
- Dugmore, A.J., Keller, C., McGovern, T.H., Casely, A., Smiarowski, K., 2009. Norse Greenland Settlement and Limits to Adaptation. In: Adger, N.W., Lorenzoni, I., O'Brien, K.L. (Eds.), *Adapting to Climate Change*. Cambridge, Cambridge University Press.
- Dunning, N.P., Beach, T.P., Luzzadder-Beach, S., 2012. Kax and kol: collapse and resilience in lowland Maya civilization. *Proc. Natl. Acad. Sci.* 109 (10), 3652–3657.
- Erlandson, J.M., Braje, T.J., 2013. Archaeology and the anthropocene. *Anthropocene* 4, 1–7.
- Eriksen, S., Lind, J., 2009. Adaptation as a political process: adjusting to drought and conflict in Kenya's drylands. *Environ. Manag.* 43 (5), 817–835.
- Ford, J.D., McDowell, G., Pearce, T., 2015. The adaptation challenge in the arctic. *Nat. Clim. Change* 5, 1046–1053.
- Frei, K.M., Coutu, A.N., Smiarowski, K., Harrison, R., Madsen, C.K., Arneborg, J., Frei, R., Gudmundsson, G., Sindbæk, S.M., Woollett, J., Hartman, S., Hicks, M., McGovern, T.H., 2015. Was it for walrus? Viking Age settlement and medieval walrus ivory trade in Iceland and Greenland. *World Arch.* 47 (3), 439–466.
- Hambrecht, G., Rockman, M., 2017. International approaches to climate change and cultural heritage. *Am. Antiquity* 82 (4), 627–641.
- Hartman, S., Ogilvie, A.E.J., Ingimundarson, J.H., Dugmore, A.J., Hambrecht, G., McGovern, T.H., 2017. Medieval Iceland, Greenland and the New human condition: a case study in integrated environmental humanities. *Global Planet. Change* 156, 123–139.
- Hebda, R.J., 2007. Museums, climate change and sustainability. *Mus. Manage. Curatorship* 22 (4), 329–336.
- Hegmon, M., Peebles, M.A., Kinzig, A.P., Kulow, S., Meegan, C.M., Nelson, M.C., 2008. Social Transformation and its human costs in the prehispanic U. S. Southwest. *American Anthropologist* 110 (3), 313–324.
- Hoggarth, J.A., Culleton, B.J., Ebert, C.E., Kennett, D.J., 2016. The political collapse of chichén itzá in cultural and climatic context. *Global Planet. Change* 138, 25–42.
- Hoggarth, J.A., Restall, M., Wood, J.W., Kennett, D.J., 2017. Drought and its effects on demography in the Maya Lowlands. *Curr. Anthropol.* 58 (1), 82–113.
- Holm, P., Brennan, R., 2018. Humanities for the environment 2018 report—ways to here, ways forward. *Humanities* 7 (1).
- Hsiang, S., Burke, M., Miguel, E., 2013. Quantifying the influence of climate on human conflict. *Science* 341, 1235367.
- Hudson, M.J., Aoyama, M., Hoover, K.C., Uchiyama, J., 2012. Prospects and challenges for an archaeology of global climate change. *Wiley Interdiscip. Rev. Clim. Change* 3, 313–328.
- Hulme, M., 2008. The conquering of climate: discourses of fear and their dissolution. *Geogr. J.* 174 (1), 5–16.
- Hulme, M., 2009. *Why We Disagree About Climate Change*. Cambridge University Press, Cambridge.
- Hulme, M., 2011. Meet the humanities. *Nat. Clim. Change* 1 (4), 177–179.
- Hulme, M., 2016. *Weathered: Cultures of Climate*. Sage, London.
- Ide, T., 2015. Why do conflicts over scarce renewable resources turn violent? A qualitative comparative analysis. *Global Environ. Change* 33, 61–70.
- IPCC, 2014. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge University Press, UK.
- Jesch, J., 2015. *The Viking Diaspora*. London, Routledge.
- Karlsson, G., 2000. *Iceland's 1100 Years. History of a marginal society*. Hurst and Co., London.
- Kennett, D.J., Beach, T., 2013. Archaeological and environmental lessons for the anthropocene from the classic Maya collapse. *Anthropocene* 4, 88–100.
- Kennett, D.J., Marwan, N., 2015. Climate volatility, agricultural uncertainty, and the formation, consolidation and breakdown of preindustrial agrarian states. *Philos. Trans. R. Soc. A* 373, 20140458. <http://dx.doi.org/10.1098/rsta.2014.0458>.
- Kennett, D.J., Breitenbach, S.F.M., Aquino, V.V., Asmersom, Y., Awe, J., Baldini, J.U.L., Bartlein, P., Culleton, B.J., Ebert, C., Jazwa, C., Macri, M.J., Marwan, N., Polyak, V., Prufer, K.M., Ridley, H.E., Sodemann, H., Winterhalder, B., Haug, G.H., 2012. Development and disintegration of Maya political systems in response to climate change. *Science* 338, 788–791.
- Kohler, T.A., Bockinski, R.K., Cockburn, D., Crabtree, S.A., Varien, M.D., Kolm, K.E., Smith, S., Ortmann, S.G., Kobti, Z., 2012. Modelling prehispanic Pueblo societies in their ecosystems. *Ecol. Model.* 241, 30–41.
- Kovats, R.S., Valentini, R., Bouwer, L.M., Georgopoulou, E., Jacob, D., Martin, E., Rounsevell, M., Soussana, J.-F., 2014. Europe. In: Barros, V.R., Field, C.B., Dokken, D.J., Mastrandrea, M.D., Mach, K.J., Bilir, T.E., Chatterjee, M., Ebi, K.L., Estrada, Y.O., Genova, R.C., Girma, B., Kissel, E.S., Levy, A.N., MacCracken, S., Mastrandrea, P.R., White, L.L. (Eds.), *Climate Change 2014: Impacts, Adaptation, and Vulnerability. Part B: Regional Aspects. Contribution of Working Group II to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press, Cambridge: United Kingdom and New York, NY, USA, pp. 1267–1326.
- Krupnik, I., 2002. *The Earth Is Fast Now: Indigenous Observations of Arctic Environmental Change*. Arctic Research Consortium of the United States.
- Kwok, R., 2017. Historical data: hidden in the past. *Nature* 549, 419–421.
- Lichenko, R.M., O'Brien, K.L., 2008. *Environmental Change and Globalization: Double Exposures*. Oxford University Press, New York.
- Lorenz, S., Berman, R., Dixon, J., Lebel, S., 2014. Time for a systematic review: a response to Bassett and fogelman's “Déjà vu or something new? The adaptation concept in the climate change literature”. *Geoforum* 51L, 252–255.
- Lubchenco, J., 1998. Entering the century of the environment: a new social contract for science. *Science* 279, 491–497.
- Marshall, G., 2014. *Don't Even Think About It: Why Our Brains Are Wired To Ignore Climate Change*. Bloomsbury.
- Metzger, M.J., Rounsevell, M.D.A., 2011. A need for planned adaptation to climate change in the wine industry. *Environ. Res. Lett.* 6, 031001.
- Metzger, M.J., Rounsevell, M.D.A., van de Heiligenberg, H.A.R.M., Perez-Soba, M., Soto Hardiman, P., 2010. How personal judgement influences scenario development: an example for rural development in Europe. *Ecol. Soc.* 15 (2), 5 [online].
- Middleton, G.D., 2017. *Understanding Collapse: Ancient History and Modern Myths*. University Press: Cambridge, Cambridge.
- Miehe, G., Miehe, S., Kaiser, K., Reudenbach, C., Behrendes, L., Duo, L., Schlütz, F., 2009. How old is pastoralism in Tibet? An ecological approach to the making of a tibetan landscape, palaeogeography, palaeoclimate. *Palaeogeography* 276 (1), 130–147.

- Moser, S.C., Ekstrom, J.A., 2010. 'A framework to diagnose barriers to climate change adaptation'. *Proc. Natl. Acad. Sci. U. S. A.* 107 (51), 22026–22031.
- Nelson, M.C., Hegmon, M., Kintigh, K.W., Kinzig, A.P., Nelson, B.A., Anderies, J.A., Abbott, D.A., Spielmann, K.A., Ingram, S.E., Peebles, M.A., Kulow, S., Strawhacker, C.A., Meegan, C., 2012. 'Long-term vulnerability and resilience: Three examples from archaeological study in the southwestern United States and Northern Mexico'. In: Cooper, J., Sheets, P. (Eds.), *Surviving Sudden Environmental Change: Answers from Archaeology*. University of Colorado Press, Boulder.
- Nelson, M.C., Ingram, S.E., Dugmore, A.J., Streeter, R., Peebles, M.A., McGovern, T.H., Hegmon, M., Spielmann, K.A., Simpson, I.A., Strawhacker, C., Comeau, L.E., Torvinen, A., Madsen, C.K., Hambrecht, G., Smiarowski, K., 2016. Climate changes, vulnerabilities, and food security. *Proc. Natl. Acad. Sci.* 113 (2), 298–303.
- Nikoleris, A., Strippel, J., Tenngart, P., 2017. Narrating climate futures: shared socio-economic pathways and literary fiction. *Clim. Change* 143, 307–319.
- Normand, S., Høye, T.T., Forbes, B.C., Bowden, J.J., Davies, A.L., Odgaard, B.V., Riede, F., Svenning, J.-C., Treier, U.A., Willerslev, R., Wischniewski, J., 2017. Legacies of historical human activities in arctic woody plant dynamics. *Annu. Rev. Environ. Resour.* 42 (1), 541–567.
- O'Brien, K., 2012. Global environmental change II. From adaptation to deliberate transformation. *Prog. Hum. Geogr.* 36 (5), 667–676.
- O'Brien, K., Liechenko, R.M., 2000. Double exposure: assessing the impacts of climate change within the context of economic globalization. *Global Environ. Change* 10 (3), 221–232.
- O'Brien, K., Sygna, L., Wolf, J., 2013. A changing environment for human security. In: Sygna, L., O'Brien, K., Wolf, J. (Eds.), *A Changing Environment for Human Security: Transformative Approaches to Research, Policy and Action*. Routledge, London.
- Ostrom, E., Gardner, R., Walker, J., 1994. *Rules, Games and Common-Pool Resources*. University of Michigan Press.
- Palin, E., Thornton, H.E., Mathison, C.T., McCarthy, R.E., Clark, R.T., Dora, J., 2013. Future projections of temperature-related climate change impacts on the railway network of Great Britain. *Clim. Change* 120 (1–2), 71–93.
- Palmer, P.I., Smith, M.J., 2014. Model human adaptation to climate change. *Nature* 520, 365–366.
- Payne, K., 2015. Portraying the political: contemporary art exhibitions and their engagement with climate change politics. In: Cameron, F.R., Neilson, B. (Eds.), *Climate Change and Museum Futures*. Routledge, Abingdon.
- Redman, C.L., 2005. Resilience theory in archaeology. *Am. Anthropol.* 107, 70–77.
- Rees, M., 2017. Museums as catalysts for change. *Nat. Clim. Change* 7, 166–167.
- Riede, F., 2014a. Climate models: use in archaeology. *Nature* 513 (7518), 315.
- Riede, F., 2014b. Towards a science of past disasters. *Nat. Hazards* 71 (1), 335–362.
- Riede, F., 2017a. Splendid isolation. The Eruption of the Laacher See Volcano and Southern Scandinavian Late Glacial Hunter-Gatherers'. University Press, Aarhus.
- Riede, F., 2017b. Past-forwarding ancient calamities. Pathways for making archaeology relevance in disaster risk reduction research. *Humanities* 6, 79.
- Riede, F., Andersen, P., Price, N., 2016a. Does archaeology need an ethical promise? *World Archaeol.* 48 (4), 466–481.
- Riede, F., Vestergaard, C., Frensborg, K.H., 2016b. A field archaeological perspective on the anthropocene. *Antiquity* 90 (354), 1–5.
- Rockström, J., Steffen, W., Noon, K., Persson, A., Chapin, F.S., Lambin, E.F., Lenton, T.M., Scheffer, M., Folke, C., Schellnhuber, H.J., Nykvist, B., de Wit, C.A., Hughes, T., van der Leeuw, S., Rodhe, H., Sörlin, S., Snyder, P.K., Costanza, R., Svedin, U., Falkenmark, M., Karlberg, L., Corell, R.W., Fabry, V.J., Hansen, J., Walker, B., Liverman, D., Richardson, K., Crutzen, P., Foley, J.A., 2009. A safe operating space for humanity. *Nature* 46, 472–475.
- Rohland, E., 2017. Adapting to hurricanes. A historical perspective on New Orleans from its foundation to hurricane Katrina, 1718–2005. *Wiley Interdiscip. Rev. Clim. Change* 9 (1), e488.
- Rojas, R., Feyen, L., Watkiss, P., 2013. Climate change and river floods in the European Union: socio-economic consequences and the costs and benefits of adaptation. *Global Environ. Change* 23 (6), 1737–1751.
- Rounsevell, M.D.A., Metzger, M.J., 2010. Developing qualitative scenario storylines for environmental change assessment. *Wiley Interdiscip. Rev. Clim. Change* 1, 606–619.
- Sandell, R., 2011. Ethics and activism. In: Marstine, J. (Ed.), *The Routledge Companion to Museum Ethics: Redefining Ethics for the Twenty-First Century Museum*. Routledge, London.
- Scheffer, M., Carpenter, S.R., Lenton, T.M., Bascompte, J., Brock, W., Dakos, V., van de Koppel, J., van de Leemput, I.A., Levin, S.A., van Nes, E.H., Pascual, M., Vandermeer, J., 2012. Anticipating critical transitions. *Science* 338, 344–348.
- Schwindt, D.M., Bocinsky, R.K., Ortman, S.G., Glowacki, D.M., Varien, M.D., Kohler, T.A., 2016. The social consequences of climate change in the Central Mesa Verde region. *Am. Antiquity* 81 (1), 74–96.
- Smiarowski, K., Harrison, R., Brewington, S., Hicks, M., Hébert, F.J., Prehal, B., Hambrecht, G., Woollett, J., McGovern, T.H., 2017. Zooarchaeology of the Scandinavian Settlements in Iceland and Greenland. In: Albarella, U. (Ed.), *Divergent pathways*. Oxford Handbook of Zooarchaeology, Oxford, OUP.
- Smith, B.D., Zeder, M.A., 2013. The onset of the anthropocene. *Anthropocene* 4, 8–13.
- Solow, A.R., 2013. Global warming: a call for peace on climate and conflict. *Nature* 497, 179–180.
- Spielmann, K., Peebles, M.A., Glowacki, D.M., Dugmore, A., 2016. Early warning signals of social transformation: a case study from the US Southwest. *PLoS ONE* 11, 1–18.
- Steffen, W., Broadgate, W., Deutsch, L., Gaffney, O., Ludwig, C., 2015. The trajectory of the anthropocene: the Great acceleration. *Anthropocene* 2 (1), 81–98.
- Stewart, I.S., Lewis, D., 2017. Communicating contested geoscience to the public: moving from 'matters of fact' to 'matters of concern'. *Earth Sci. Rev.* 174, 122–133.
- TEA/AECOM, 2017. *Theme Index and Meums Index: The Global Attractions Attendance Report*. [Accessed 9/3/2018]. http://www.teaconnect.org/images/files/TEA_235_103719_170601.pdf.
- Turner II, B.L., Sabloff, J.A., 2012. Classic period collapse of the Central Maya Lowlands: insights about human-environment relationships for sustainability. *Proc. Natl. Acad. Sci.* 109 (35), 13908–13914.
- Turner II, B.L., Esler, K.J., Bridgewater, P., Tewksbury, J., Sitas, N., Abrahams, B., Chapin III, F.S., Cowdhury, R.R., Christie, P., Diaz, S., Firth, P., Knapp, C.N., Kramer, J., Leemans, R., Palmer, M., Pietri, D., Pittman, J., Sarukhán, J., Shackleton, R., Seidler, R., van Wilgen, B., Mooney, H., 2016. Socio-environmental systems (SES) research: what have we learned and how can we use this information in future research programs. *Curr. Opin. Environ. Sustain.* 19, 160–168.
- Urry, J., 2014. The problem of energy. *Theory, Culture Soc.* 31 (5), 3–20.
- Wisner, B., Blaikie, P., Cannon, T., Davis, I., 2004. *At Risk: Natural Hazards, People's Vulnerability and Disasters*, 2nd edn.). Routledge, London.
- Withers, C., 2005. Geography and the scientific revolution. In: Livingstone, D., Withers, C. (Eds.), *Geography and Revolution*. University of Chicago Press, Chicago.
- Zalasiewicz, J., Williams, M., Smith, A., Barry, T.L., Coe, A.L., Bown, P.R., Brenchley, P., Cantrill, D., Gale, A., Gibbard, P., Gregory, F.J., Hounslow, M.W., Kerr, A.C., Pearson, P., Knox, R., Powell, J., Waters, C., Marshall, J., Oates, M., Rawson, P., Stone, P., 2008. Are we now living in the anthropocene? *Geol. Soc. Am.* 18 (2), 4–8.
- Zeder, M.A., 2015. Core questions in domestication research. *Proc. Natl. Acad. Sci.* 112 (11), 3191–3198.

Further reading

- B.M. Buckley , R. Fletcher , S.S. Wang , B. Zottoli , C. Pottier . Monsoon extremes and society over the past millennium on mainland Southeast Asia *Quat. Sci. Rev.* 2014; 95: (1) 1-19
- R. Fletcher , D. Evans , C. Pottier , C. Rachna . Angkor Wat: an introduction *Antiquity* 2015; 89: (348) 1388-1401
- K.W. Butzer . Collapse, environment, and society *Proc. Natl. Acad. Sci.* 2012; 109: (10) 3632-3639